TARLE 116 4B—LIST OF HAZARDOUS

Ferric nitrate
Sodium bichromate

Cupric acetoarsenite Nickel hydroxide Ammonium fluoride

Ammonium chloride Ammonium sulfide

Sulfur chloride

Beryllium nitrate Zirconium nitrate

Calcium chromate

Lead fluoborate

Chromic acid

10421484 10588019

11115745

12002038 12054487 12125018

12125029 12135761

12771083

13597994 13746899

13765190 13814965

	6.4B—LIST OF HAZARDOUS BY CAS NUMBER—Continued		6.4B—LIST OF HAZARDOUS BY CAS NUMBER—Continued
CAS No.	Common name	CAS No.	Common name
7779864	Zinc hydrosulfite	13826830	Ammonium fluoborate
7779886	Zinc nitrate	13952846	sec-Butylamine
7782505	Chlorine	14017415	Cobaltous sulfamate
7782630	Ferrous sulfate	14216752	Nickel nitrate
7782823	Sodium selenite	14258492	Ammonium oxalate
7782867	Mercurous nitrate	14307358	Lithium chromate
7783359	Mercuric sulfate	14307438	Ammonium tartrate
7783462	Lead fluoride	14639975	Zinc ammonium chloride
7783495	Zinc fluoride	14639986	Zinc ammonium chloride
7783508	Ferric fluoride	14644612	Zirconium sulfate
7783564	Antimony trifluoride	15699180	Nickel ammonium sulfate
7784341	Arsenic trichloride	16721805	Sodium hydrosulfide
7784409	Lead arsenate	16871719	Zinc silicofluoride
7784410	Potassium arsenate	16919190	Ammonium silicofluoride
7784465	Sodium arsenite	16923958	Zirconium potassium fluoride
7785844	Sodium phosphate, tribasic	25154545	Dinitrobenzene
7786347	Mevinphos	25154556	Nitrophenol
7786814	Nickel sulfate	25155300	Sodium dodecylbenzenesulfonate
7787475	Beryllium chloride	25167822	Trichlorophenol
7787497 7787555	Beryllium fluoride Beryllium nitrate	25168154	2,4,5-T ester
7788989	Ammonium chromate	25168267	2,4-D ester
7789006	Potassium chromate	26264062	Calcium dodecylbenzenesulfonate
7789062	Strontium chromate	27176870	Dodecylbenzenesulfonic acid
7789095	Ammonium bichromate	27323417	Triethanolamine
7789426	Cadmium bromide	21323411	dodecylbenzenesulfonate
7789437	Cobaltous bromide	27774136	Vanadyl sulfate
7789619	Antimony tribromide	28300745	Antimony potassium tartrate
7790945	Chlorosulfonic acid	30525894	Paraformaldehyde
8001352	Toxaphene	36478769	Uranyl nitrate
10022705	Sodium hypochlorite	37211055	Nickel chloride
10025873	Phosphorus oxychloride	42504461	Dodecylbenzenesulfonate
10025919	Antimony trichloride	42304401	isopropanolamine
10026116	Zirconium tetrachloride	52628258	Zinc ammonium chloride
10028225	Ferric sulfate	52740166	Calcium arsenite
10028247	Sodium phosphate, dibasic	53467111	2.4-D ester
10039324	Sodium phosphate, dibasic	55488874	Ferric ammonium oxalate
10043013	Aluminum sulfate	61792072	
10045893	Ferrous ammonium sulfate		2,4,0 1 0001
10045940	Mercuric nitrate		
10049055	Chromous chloride	[43 FR 10474, N	Mar. 13, 1978; 43 FR 27533, June
10099748	Lead nitrate		nended at 44 FR 10268, Feb. 16,
10101538	Chromic sulfate		400, Nov. 13, 1979; 44 FR 66602,
10101630	Lead iodide		400, 100V. 13, 1373, 44 1 10 00002, 4 FR 33482, Aug. 14, 1989]
10101890	Sodium phosphate, tribasic	NOV. 20, 1979, 3	4 FR 33462, Aug. 14, 1969]
10102064	Uranyl nitrate		
10102188	Sodium selenite	PART 117—	DETERMINATION OF RE-
10102440	Nitrogen dioxide		
10102484	Lead arsenate		E QUANTITIES FOR HAZ-
10108642	Cadmium chloride	ARDOUS	SUBSTANCES
10124502	Potassium arsenite		
10124568	Sodium phosphate, tribasic	Cl	A Company Descriptions
10140655	Sodium phosphate, dibasic Ammonium bisulfite	suppar	t A—General Provisions
10192300 10196040	Ammonium disulfite Ammonium sulfite	Car	
	Sodium phosphate, tribasic	Sec.	
10361894	Cupric sulfate, ammoniated	117.1 Definiti	
10380297 10415755	Mercurous nitrate	117.2 Abbrevi	ations.
10421484	Ferric nitrate	117.3 Determi	nation of reportable quan-

117.3 Determination of reportable quantities.

Subpart B—Applicability

117.11 General applicability.
117.12 Applicability to discharges from facilities with NPDES permits.
117.13 Applicability to discharges from publicly owned treatment works and their users.

117.14 Demonstration projects.

Subpart C—Notice of Discharge of a Reportable Quantity

117.21 Notice.

117.23 Liabilities for removal.

AUTHORITY: Secs. 311 and 501(a), Federal Water Pollution Control Act (33 U.S.C. 1251 et seq.), ("the Act") and Executive Order 11735, superseded by Executive Order 12777, 56 FR 54757.

Source: 44 FR 50776, Aug. 29, 1979, unless otherwise noted.

Subpart A—General Provisions

§117.1 Definitions.

As used in this part, all terms shall have the meanings stated in 40 CFR part 116.

- (a) Reportable quantities means quantities that may be harmful as set forth in §117.3, the discharge of which is a violation of section 311(b)(3) and requires notice as set forth in §117.21.
- (b) *Administrator* means the Administrator of the Environmental Protection Agency ("EPA").
- (c) *Mobile source* means any vehicle, rolling stock, or other means of transportation which contains or carries a reportable quantity of a hazardous substance.
- (d) *Public record* means the NPDES permit application or the NPDES permit itself and the "record for final permit" as defined in 40 CFR 124.122.
- (e) National Pretreatment Standard or Pretreatment Standard means any regulation containing pollutant discharge limits promulgated by the EPA in accordance with section 307 (b) and (c) of the Act, which applies to industrial users of a publicly owned treatment works. It further means any State or local pretreatment requirement applicable to a discharge and which is incorporated into a permit issued to a publicly owned treatment works under section 402 of the Act.
- (f) Publicly Owned Treatment Works or POTW means a treatment works as defined by section 212 of the Act, which is owned by a State or municipality (as defined by section 502(4) of the Act). This definition includes any sewers that convey wastewater to such a treatment works, but does not include pipes, sewers or other conveyances not connected to a facility providing treat-

ment. The term also means the municipality as defined in section 502(4) of the Act, which has jurisdiction over the indirect discharges to and the discharges from such a treatment works.

- (g) Remove or removal refers to removal of the oil or hazardous substances from the water and shoreline or the taking of such other actions as may be necessary to minimize or mitigate damage to the public health or welfare, including, but not limited to, fish, shellfish, wildlife, and public and private property, shorelines, and beaches.
- (h) *Contiguous zone* means the entire zone established by the United States under Article 24 of the Convention on the Territorial Sea and Contiguous Zone.
- (i) Navigable waters means "waters of the United States, including the territorial seas." This term includes:
- (1) All waters which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;
- (2) Interstate waters, including interstate wetlands;
- (3) All other waters such as intrastate lakes, rivers, streams, (including intermittent streams), mudflats, sandflats, and wetlands, the use, degradation or destruction of which would affect or could affect interstate or foreign commerce including any such waters:
- (i) Which are or could be used by interstate or foreign travelers for recreational or other purposes;
- (ii) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce;
- (iii) Which are used or could be used for industrial purposes by industries in interstate commerce:
- (4) All impoundments of waters otherwise defined as navigable waters under this paragraph;
- (5) Tributaries of waters identified in paragraphs (i) (1) through (4) of this section, including adjacent wetlands; and
- (6) Wetlands adjacent to waters identified in paragraphs (i) (1) through (5) of this section ("Wetlands" means

Environmental Protection Agency

those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands included playa generally lakes. swamps, marshes, bogs, and similar areas such as sloughs, prairie potholes, wet meadows, prairie river overflows, mudflats, and natural ponds): Provided, That waste treatment systems (other than cooling ponds meeting the criteria of this paragraph) are not waters of the United States.

Navigable waters do not include prior converted cropland. Notwithstanding the determination of an area's status as prior converted cropland by any other federal agency, for the purposes of the Clean Water Act, the final authority regarding Clean Water Act jurisdiction remains with EPA.

(j) Process waste water means any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.

[44 FR 50776, Aug. 29, 1979, as amended at 58 FR 45039, Aug. 25, 1993]

§117.2 Abbreviations.

NPDES equals National Pollutant Discharge Elimination System. RQ equals reportable quantity.

§117.3 Determination of reportable quantities.

Each substance in Table 117.3 that is listed in Table 302.4, 40 CFR part 302, is assigned the reportable quantity listed in Table 302.4 for that substance.

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT

NOTE: The first number under the column headed "RQ" is the reportable quantity in pounds. The number in parentheses is the metric equivalent in kilograms. For convenience, the table contains a column headed "Category" which lists the code letters "X", "A", "B", "C", and "D" associated with reportable quantities of 1, 10, 100, 1000, and 5000 pounds, respectively.

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT

Material	Category	RQ in pounds (kilograms)
Acetaldehyde	С	1,000 (454)
Acetic acid	D	5,000 (2,270)
Acetic anhydride	D	5,000 (2,270)
Acetone cyanohydrin	Α	10 (4.54)
Acetyl bromide	D	5,000 (2,270)
Acetyl chloride	D	5,000 (2,270)
Acrolein	X	1 (0.454)
Acrylonitrile	В	100 (45.4)
Adipic acid	D	5,000 (2,270)
Aldrin	X	1 (0.454)
Allyl alcohol	В	100 (45.4)
Allyl chloride	C	1,000 (454)
Aluminum sulfate	D	5,000 (2,270)
Ammonia	В	100 (45.4)
Ammonium acetate	D	5,000 (2,270)
Ammonium benzoate	D	5,000 (2,270)
Ammonium bicarbonate	D	5,000 (2,270)
Ammonium bichromate	Α	10 (4.54)
Ammonium bifluoride	В	100 (45.4)
Ammonium bisulfite	D	5,000 (2,270)
Ammonium carbamate	D	5,000 (2,270)
Ammonium carbonate	D	5,000 (2,270)
Ammonium chloride	D	5,000 (2,270)
Ammonium chromate	Α	10 (4.54)
Ammonium citrate dibasic	D	5,000 (2,270)
Ammonium fluoborate	D	5,000 (2,270)
Ammonium fluoride	В	100 (45.4)
Ammonium hydroxide	C	1,000 (454)
Ammonium oxalate	D	5,000 (2,270)
Ammonium silicofluoride	C	1,000 (454)
Ammonium sulfamate	D	5,000 (2,270)

Table 117.3—Reportable Quantities of Hazardous Substances Designated Pursuant to Section 311 of the Clean Water Act—Continued

Material	Category	RQ in pounds (kilograms)
Ammonium sulfide	-	100 (45.4)
Ammonium sulfite	1	5,000 (2,270)
Ammonium tartrate		5,000 (2,270)
Ammonium thiocyanate		5,000 (2,270)
Amyl acetate		5,000 (2,270)
Aniline		5,000 (2,270)
Antimony pentachloride		1,000 (454)
Antimony potassium tartrate		100 (45.4)
Antimony tribromide		1,000 (454)
Antimony trichloride	C	1,000 (454)
Antimony trifluoride	C	1,000 (454)
Antimony trioxide		1,000 (454)
Arsenic disulfide	X	1 (0.454)
Arsenic pentoxide		1 (0.454)
Arsenic trichloride		1 (0.454)
Arsenic trioxide		1 (0.454)
Arsenic trioxide		1 (0.454)
Barium cyanide		10 (4.54)
Benzene		10 (4.54)
Benzoic acid		5,000 (2,270)
Benzonitrile		5,000 (2,270)
Benzoyl chloride		1,000 (454)
Benzyl chloride		100 (45.4)
Beryllium chloride		1 (0.454)
Beryllium fluoride		1 (0.454)
Beryllium nitrate		1 (0.454)
Butyl acetate		
		5,000 (2,270)
Butylamine		1,000 (454)
n-Butyl phthalate		10 (4.54)
Butyric acid		5,000 (2,270)
Cadmium acetate		10 (4.54)
Cadmium bromide		10 (4.54)
Cadmium chloride		10 (4.54)
Calcium arsenate		1 (0.454)
Calcium arsenite		1 (0.454)
Calcium carbide		10 (4.54)
Calcium chromate		10 (4.54)
Calcium cyanide		10 (4.54)
Calcium dodecylbenzenesulfonate		1,000 (454)
Calcium hypochlorite		10 (4.54)
Captan		10 (4.54)
Carbaryl		100 (45.4)
Carbofuran		10 (4.54)
Carbon disulfide		100 (45.4)
Carbon tetrachloride		10 (4.54)
Chlordane		1 (0.454)
Chlorine		10 (4.54)
Chlorobenzene		100 (45.4)
Chloroform		10 (4.54)
Chlorosulfonic acid		1,000 (454)
Chlorpyrifos		1 (0.454)
Chromic acetate	C	1,000 (454)
Chromic acid	A	10 (4.54)
Chromic sulfate	C	1,000 (454)
Chromous chloride	C	1,000 (454)
Cobaltous bromide	C	1,000 (454)
Cobaltous formate		1,000 (454)
Cobaltous sulfamate		1,000 (454)
Coumaphos		10 (4.54)
Cresol		100 (45.4)
Crotonaldehyde		100 (45.4)
Cupric acetate		100 (45.4)
Cupric acetate Cupric acetoarsenite		1 (0.454)
Cupric acetoarsenite		10 (4.54)
Cupric nitrate		100 (45.4)
Cupric oxalate		100 (45.4)
Cupric sulfate		10 (4.54)
Cupric sulfate, ammoniated		100 (45.4)
Cupric tartrate		100 (45.4)
Cyanogen chloride		10 (4.54)
Cyclohexane	C	1,000 (454)

Environmental Protection Agency

Table 117.3—Reportable Quantities of Hazardous Substances Designated Pursuant to Section 311 of the Clean Water Act—Continued

Material	Category	RQ in pounds (kilograms)
2,4-D Acid	В	100 (45.4)
2,4-D Esters	B X	100 (45.4) 1 (0.454)
Diazinon	X	1 (0.454)
Dicamba	C	1,000 (454)
Dichlobenil	В	100 (45.4)
Dichlone	X	1 (0.454)
Dichlorobenzene	В	100 (45.4)
Dichloropropane	C	1,000 (454)
Dichloropropene	B	100 (45.4) 100 (45.4)
2,2-Dichloropropionic acid	D	5,000 (2,270)
Dichlorvos	A	10 (4.54)
Dicofol	Α	10 (4.54)
Dieldrin	X	1 (0.454)
Diethylamine	В	100 (45.4)
Dimethylamine	C	1,000 (454)
Dinitrobenzene (mixed)	B A	100 (45.4) 10 (45.4)
Dinitrotoluene	A	10 (4.54)
Diquat	C	1,000 (454)
Disulfoton	X	1 (0.454)
Diuron	В	100 (45.4)
Dodecylbenzenesulfonic acid	C	1,000 (454)
Endosulfan	X	1 (0.454)
Endrin Epichlorohydrin	X B	1 (0.454)
Ethion	A	100 (45.4) 10 (4.54)
Ethylbenzene	C	1,000 (454)
Ethylenediamine	D	5,000 (2,270)
Ethylenediamine-tetraacetic acid (EDTA)	D	5,000 (2,270)
Ethylene dibromide	X	1 (0.454)
Ethylene dichloride	В	100 (45.4)
Ferric ammonium citrate	C	1,000 (454)
Ferric ammonium oxalate Ferric chloride	C	1,000 (454) 1,000 (454)
Ferric fluoride	В	100 (45.4)
Ferric nitrate	C	1,000 (454)
Ferric sulfate	С	1,000 (454)
Ferrous ammonium sulfate	C	1,000 (454)
Ferrous chloride	В	100 (45.4)
Ferrous sulfate	C B	1,000 (454) 100 (45.4)
Formaldehyde	D	5,000 (2,270)
Fumaric acid	D	5,000 (2,270)
Furfural	D	5,000 (2,270)
Guthion	X	1 (0.454)
Heptachlor	X	1 (0.454)
Hexachlorocyclopentadiene	A	10 (4.54)
Hydrochloric acid	D	5,000 (2,270)
Hydrofluoric acid	B A	100 (45.4) 10 (4.54)
Hydrogen sulfide	В	100 (45.4)
Isoprene	В	100 (45.4)
Isopropanolamine dodecylbenzenesulfonate	C	1,000 (454)
Kepone	X	1 (0.454)
Lead acetate	Α	10 (4.54)
Lead arsenate	X	1 (0.454)
Lead chloride	A	10 (4.54)
Lead fluoroide	A	10 (4.54) 10 (4.54)
Lead indide	A	10 (4.54)
Lead nitrate	Α	10 (4.54)
Lead stearate	Α	10 (4.54)
Lead sulfate	Α	10 (4.54)
Lead sulfide	Α	10 (4.54)
Lead thiocyanate	Α	10 (4.54)
Lindane	X	1 (0.454)
Lithium chromate	Α	10 (4.54)
Malathion	B D	100 (45.4)
IVICIOIO COIO		5,000 (2,270)

Table 117.3—Reportable Quantities of Hazardous Substances Designated Pursuant to Section 311 of the Clean Water Act—Continued

Maleic anhydride	SECTION 311 OF THE CLEAN WATER ACT—Continued		
Mercuptodimethru	Material	Category	RQ in pounds (kilograms)
Mercuric sylaridate			
Mercuric nitrate			
Mercuric sulfate			
Mercurus thiocyanate			
Mercurous nitrate			
Methyxychlor			
Methyl mercaptan			
Methyl methacrylate			
Methyl parathion			
Mevinphos			
Mexacarbate		A	
Monomethylamine			
Naled	Monoethylamine	В	100 (45.4)
Naphthalene		В	100 (45.4)
Naphthenic acid			10 (4.54)
Nickel chloride B 100 (45.4) Nickel hydroxide B 100 (45.4) Nickel hydroxide Nickel hydroxide Nickel sulfate B 100 (45.4) Nitride acid C 1,000 (45.4) Nitrobenzene C 1,000 (45.4) Nitropen dioxide Nitropen dioxide Nitropen dioxide B 100 (45.4) Nitropen dioxide D 10 (45.4) Parathion D 10 (45.4) Parathion D 10 (45.4) Phosphoria dioxide D 10 (45.4) Potassium arisente D 10 (45.4) Potassium dioxide D 10 (45.4) Proparitie D 10 (45.4) P			
Nickel hydroxide			
Nickel hydroxide			
Nickel suitate			
Nicke sulfate	Nickel hydroxide		
Nitro acid Nitrobenzene			
Nitrobenzene			
Nitrogen dioxide			
Nitrophenol (mixed)			
Nitroioluene C			
Paraformaldehyde C 1,000 (454) Parathion A 10 (4.54) Pentachlorophenol A 10 (4.54) Phenol C 1,000 (454) Phospene A 10 (4.54) Phosphoric acid D 5,000 (2,270) Phosphorus X 1 (0.454) Phosphorus pentasulfide B 100 (45.4) Phosphorus pentasulfide B 100 (45.4) Phosphorus trichloride C 1,000 (454) Pohsphorus trichloride C 1,000 (454) Pohsphorus trichloride X 1 (0.454) Pohsphorus trichloride X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium permate A 10 (4.54) Potassium hydroxide A 10 (4.54) Potassium hydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propioni			
Parathion A 10 (4.54) Pentachlorophenol A 10 (4.54) Phenol C 1,000 (454) Phosphori D 5,000 (2,270) Phosphoric acid D 5,000 (2,270) Phosphorus cychloride C 1,000 (454) Phosphorus pentasulfide B 100 (454) Phosphorus trichloride C 1,000 (454) Polychlorinated bipheryls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium bichromate A 10 (4.54) Potassium bichromate A 10 (4.54) Potassium bydroxide C 1,000 (454) Potassium pranganate B 100 (45.4) Proparcial A 10 (4.54)			
Pentachlorophenol			
Phenol C 1,000 (454) Phosgene A 10 (4.54) Phosphoric acid D 5,000 (2,270) Phosphorus X 1 (0.454) Phosphorus oxychloride C 1,000 (454) Phosphorus pentasulfide B 100 (45.4) Phosphorus trichloride C 1,000 (454) Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium hydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Potassium permanganate B 100 (45.4) Propicinic acid D 5,000 (2,270) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propionic anhydride D 5,000 (2,270)			
Phosgene A 10 (4,54) Phosphorus acid D 5,000 (2,270) Phosphorus X 1 (0.454) Phosphorus coxychloride C 1,000 (454) Phosphorus pentasulfide B 100 (45.4) Phosphorus trichloride C 1,000 (454) Phosphorus trichloride C 1,000 (454) Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2.270) Propionic anhydride D 5,000 (2.270) Propionic anhydride B 100 (45.4) Pyreptrints X 1 (0.454) Quinoline D 5,000 (2.270)			
Phosphoric acid D 5,000 (2,270) Phosphorus X 1 (0.454) Phosphorus oxychloride C 1,000 (454) Phosphorus pentasulfide B 100 (454) Phosphorus trichloride C 1,000 (454) Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2		Α	
Phosphorus oxychloride C 1,000 (454) Phosphorus pentasulfide B 100 (454) Phosphorus trichloride C 1,000 (454) Polyshlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (45.4) Propargite A 10 (45.4) Propionic acid D 5,000 (2.270) Propionic anydride D 5,000 (2.270) Propionic anydride D 5,000 (2.270) Proprionic anydride D 5,000 (2.270) Propionic anydride D 5,000 (2.270) Presprenting X 1 (0.454) Pyrethins X 1 (0.454)	Phosphoric acid	D	
Phosphorus pentasulfide B 100 (45.4) Phosphorus trichloride C 1,000 (454) Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Prospargite A 10 (4.54) Propinci acid D 5,000 (2.270) Propionic anhydride D 5,000 (2.270) Propionic anhydride D 5,000 (2.270) Propinci anhydride D 5,000 (2.270) Poplene oxide B 100 (45.4) Quinoline D 5,000 (2.270)<		X	1 (0.454)
Phosphorus trichloride C 1,000 (454) Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bromate A 10 (4.54) Potassium chromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium permanganate B 100 (45.4) Prospargite A 10 (4.54) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinolline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium arsenite			1,000 (454)
Polychlorinated biphenyls X 1 (0.454) Potassium arsenate X 1 (0.454) Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (45.4) Propionic acid D 5,000 (2.270) Propionic anhydride D 5,000 (2.270) Propionic acid D 5,000 (2.270) Propionic anhydride D 5,000 (2.270) Propionic acid D 5,000 (2.270)		В	100 (45.4)
Potassium arsenate X 1 (0.454) Potassium bromate X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium chromate A 10 (4.54) Potassium cyanide C 1,000 (454) Potassium permanganate B 100 (45.4) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propionic anhydride B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bilufuride B <td>Phosphorus trichloride</td> <td></td> <td></td>	Phosphorus trichloride		
Potassium arsenite X 1 (0.454) Potassium bichromate A 10 (4.54) Potassium chromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium cyanide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propionic acid propionic acid D 5,000 (2,270) Propionic acid D 5,000 (2,270) Propionic acid B 100 (45.4) Pyrethrins X 1 (0.454) Quinolline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bichromate <td></td> <td></td> <td></td>			
Potassium bichromate A 10 (4.54) Potassium chromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium hydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Resorcinol oside D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium oxide A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium arsenate X 1 (0.454) Sodium birhomate A 10 (4.54) Sodium birhomate A 10 (4.54) Sodium cyanide A			
Potassium chromate A 10 (4.54) Potassium cyanide A 10 (4.54) Potassium pydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propionic anhydride B 100 (45.4) Pyrepthrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium chromate A 10			
Potassium cyanide A 10 (4.54) Potassium hydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinolline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium pichromate A 10 (4.54) Sodium bichromate A 10 (4.54) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium chromate A 10 (4.54) Sodium chromate A 10 (4.54) Sodium chromate A <			
Potassium hydroxide C 1,000 (454) Potassium permanganate B 100 (45.4) Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium arsenate X 1 (0.454) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bifluoride B 100 (45.4) Sodium bifluoride B 100 (45.4) Sodium cyanide A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium fluoride C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium fluoride D			
Potassium permanganate B 100 (45.4) Propargite A 10 (45.4) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bifluoride B 100 (45.4) Sodium bifluoride B 100 (45.4) Sodium chromate A 10 (4.54) Sodium chromate A 10 (4.54) Sodium chromate A 10 (4.54) Sodium pideocybenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D <td></td> <td></td> <td></td>			
Propargite A 10 (4.54) Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bilfuoride B 100 (45.4) Sodium billifier D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium odecylbenzenesulfonate A 10 (4.54) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270)			
Propionic acid D 5,000 (2,270) Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bisnerate X 1 (0.454) Sodium bifluoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium cyanide A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium fluoride C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide <t< td=""><td></td><td></td><td></td></t<>			
Propionic anhydride D 5,000 (2,270) Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bifluoride B 100 (45.4) Sodium chromate A 10 (4.54) Sodium chromate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydroxide C 1,000 (454) Sodium hydroxide C 1,000			
Propylene oxide B 100 (45.4) Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium pischromate X 1 (0.454) Sodium bidromate A 10 (4.54) Sodium bisulfite B 100 (45.4) Sodium chromate A 10 (4.54) Sodium chromate A 10 (4.54) Sodium oddecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide B 100 (45.4)			
Pyrethrins X 1 (0.454) Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bichromate X 1 (0.454) Sodium bilfuoride B 100 (454) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroside E 100 (454)			
Quinoline D 5,000 (2,270) Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4,54) Silver nitrate X 1 (0.454) Sodium A 10 (4,54) Sodium arsenate X 1 (0.454) Sodium bisnemate X 1 (0.454) Sodium bichromate A 10 (4,54) Sodium bifluoride B 100 (45,4) Sodium chromate A 10 (4,54) Sodium chromate A 10 (4,54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide B 100 (454)			
Resorcinol D 5,000 (2,270) Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium presenate X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium billuoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide D 5,000 (2,270) Sodium hydrosulfide C 1,000 (454) Sodium hydrosulfide B 100 (45.4) Sodium hydrosulfide B 100 (45.4)			
Selenium oxide A 10 (4.54) Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bichromate X 1 (0.454) Sodium bifluoride B 10 (4.54) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium fluoride C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (454)			
Silver nitrate X 1 (0.454) Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium bisundersenite X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bifluoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium A 10 (4.54) Sodium arsenate X 1 (0.454) Sodium arsenite X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bisulfite B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroside C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium arsenate X 1 (0.454) Sodium presente X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium bifluoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium fluoride C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hydroxide C 1,000 (454) Sodium hydroxide B 100 (45.4)			1
Sodium arsenite X 1 (0.454) Sodium bichromate A 10 (4.54) Sodium billuoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium bifluoride B 100 (45.4) Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hydroxide B 100 (454)			
Sodium bisulfite D 5,000 (2,270) Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (454)	Sodium bichromate	Α	10 (4.54)
Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)	Sodium bifluoride	В	100 (45.4)
Sodium chromate A 10 (4.54) Sodium cyanide A 10 (4.54) Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)	Sodium bisulfite	D	5,000 (2,270)
Sodium dodecylbenzenesulfonate C 1,000 (454) Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (454)	Sodium chromate		
Sodium fluoride C 1,000 (454) Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium hydrosulfide D 5,000 (2,270) Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium hydroxide C 1,000 (454) Sodium hypochlorite B 100 (45.4)			
Sodium hypochlorite			
Sodium methylate C 1,000 (454)			
Sodium nitrite			
Sodium phosphate, dibasic	Sodium phosphate, dibasic	טו	5,000 (2,270)

TABLE 117.3—REPORTABLE QUANTITIES OF HAZARDOUS SUBSTANCES DESIGNATED PURSUANT TO SECTION 311 OF THE CLEAN WATER ACT—Continued

Material	Category	RQ in pounds (kilograms)
Sodium phosphate, tribasic	D	5,000 (2,270)
Sodium selenite	B	100 (45.4)
Strontium chromate	A	10 (4.54)
Strychnine	A	10 (4.54)
Styrene	1 -	
Sulfuric acid		
Sulfur monochloride		, ,
2,4,5-T acid		
2,4,5-T amines		1 / (- /
2,4,5-T esters		1 - 1 (/ /
2,4,5-T salts		
TDE		
		1 (/
2,4,5-TP acid		
2,4,5-TP acid esters		(- /
Tetraethyl lead		1 . (. ,
Tetraethyl pyrophosphate		
Thallium sulfate		(- /
Toluene	1 -	, ,
Toxaphene	X	1 (0.454)
Trichlorfon	B	100 (45.4)
Trichloroethylene	B	100 (45.4)
Trichlorophenol	A	10 (4.54)
Triethanolamine dodecylbenzenesulfonate	C	1,000 (454)
Triethylamine	D	5,000 (2,270)
Trimethylamine		
Uranyl acetate		
Uranyl nitrate		1 (-)
Vanadium pentoxide		''' /
Vanadyl sulfate		
Vinyl acetate		
Vinylidene chloride		1 ' ' '
Xylene (mixed)		
		(- /
Xylenol		, ,
Zinc acetate	1 -	, ,
Zinc ammonium chloride		, ,
Zinc borate		, ,
Zinc bromide		1
Zinc carbonate	1 -	, ,
Zinc chloride	C	1,000 (454)
Zinc cyanide	A	10 (4.54)
Zinc fluoride	C	1,000 (454)
Zinc formate	C	1,000 (454)
Zinc hydrosulfite		1,000 (454)
Zinc nitrate		1,000 (454)
Zinc phenolsulfonate	D	
Zinc phosphide		1 - 1 (/ /
Zinc silicofluoride		
Zinc sulfate		
Zirconium nitrate		1 ' ' '
Zirconium potassium fluoride		
Zirconium sulfate		1 ' ' '
		- / / / - /
Zirconium tetrachloride	D	5,000 (2,270)

[50 FR 13513, Apr. 4, 1985, as amended at 51 FR 34547, Sept. 29, 1986; 54 FR 33482, Aug. 14, 1989; 58 FR 35327, June 30, 1993; 60 FR 30937, June 12, 1995]

Subpart B—Applicability

§117.11 General applicability.

This regulation sets forth a determination of the reportable quantity for each substance designated as hazardous in 40 CFR part 116. The regulation applies to quantities of designated substances equal to or greater than the re-

portable quantities, when discharged into or upon the navigable waters of the United States, adjoining shorelines, into or upon the contiguous zone, or beyond the contiguous zone as provided in section 311(b)(3) of the Act, except to the extent that the owner or operator can show such that discharges are made:

- (a) In compliance with a permit issued under the Marine Protection, Research and Sanctuaries Act of 1972 (33 U.S.C. 1401 *et seq.*);
- (b) In compliance with approved water treatment plant operations as specified by local or State regulations pertaining to safe drinking water;
- (c) Pursuant to the label directions for application of a pesticide product registered under section 3 or section 24 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended (7 U.S.C. 136 et seq.), or pursuant to the terms and conditions of an experimental use permit issued under section 5 of FIFRA, or pursuant to an exemption granted under section 18 of FIFRA;
- (d) In compliance with the regulations issued under section 3004 or with permit conditions issued pursuant to section 3005 of the Resource Conservation and Recovery Act (90 Stat. 2795; 42 U.S.C. 6901);
- (e) In compliance with instructions of the On-Scene Coordinator pursuant to 40 CFR part 1510 (the National Oil and Hazardous Substances Pollution Plan) or 33 CFR 153.10(e) (Pollution by Oil and Hazardous Substances) or in accordance with applicable removal regulations as required by section 311(j)(1)(A);
- (f) In compliance with a permit issued under §165.7 of Title 14 of the State of California Administrative Code;
- (g) From a properly functioning inert gas system when used to provide inert gas to the cargo tanks of a vessel;
- (h) From a permitted source and are excluded by §117.12 of this regulation;
- (i) To a POTW and are specifically excluded or reserved in §117.13; or
- (j) In compliance with a permit issued under section 404(a) of the Clean Water Act or when the discharges are exempt from such requirements by section 404(f) or 404(r) of the Act (33 U.S.C. 1344(a), (f), (r)).

§117.12 Applicability to discharges from facilities with NPDES permits.

- (a) This regulation does not apply to:(1) Discharges in compliance with a permit under section 402 of this Act;
- (2) Discharges resulting from circumstances identified, reviewed and

made a part of the public record with respect to a permit issued or modified under section 402 of this Act, and subject to a condition in such permit;

(3) Continuous or anticipated intermittent discharges from a point source, identified in a permit or permit application under section 402 of this Act, which are caused by events occurring within the scope of the relevant operating or treatment systems; or

- (b) A discharge is "in compliance with a permit issued under section 402 of this Act" if the permit contains an effluent limitation specifically applicable to the substance discharged or an effluent limitation applicable to another waste parameter which has been specifically identified in the permit as intended to limit such substance, and the discharge is in compliance with the effluent limitation.
- (c) A discharge results "from circumstances identified, reviewed and made a part of the public record with respect to a permit issued or modified under section 402 of the Act, and subject to a condition in such permit," whether or not the discharge is in compliance with the permit, where:
- (1) The permit application, the permit, or another portion of the public record contains documents that specifically identify:
- (i) The substance and the amount of the substance; and
- (ii) The origin and source of the substance; and
- (iii) The treatment which is to be provided for the discharge either by:
- (A) An on-site treatment system separate from any treatment system treating the permittee's normal discharge; or
- (B) A treatment system designed to treat the permittee's normal discharge and which is additionally capable of treating the identified amount of the identified substance; or
- (C) Any combination of the above; and
- (2) The permit contains a requirement that the substance and amounts of the substance, as identified in $\S117.12(c)(1)(i)$ and $\S117.12(c)(1)(ii)$ be treated pursuant to $\S117.12(c)(1)(iii)$ in the event of an on-site release; and
- (3) The treatment to be provided is in place.

- (d) A discharge is a "continuous or anticipated intermittent discharge from a point source, identified in a permit or permit application under section 402 of this Act, and caused by events occurring within the scope of the relevant operating or treatment systems," whether or not the discharge is in compliance with the permit, if:
- (1) The hazardous substance is discharged from a point source for which a valid permit exists or for which a permit application has been submitted; and
- (2) The discharge of the hazardous substance results from:
- (i) The contamination of noncontact cooling water or storm water, provided that such cooling water or storm water is not contaminated by an on-site spill of a hazardous substance; or
- (ii) A continuous or anticipated intermittent discharge of process waste water, and the discharge originates within the manufacturing or treatment systems; or
- (iii) An upset or failure of a treatment system or of a process producing a continuous or anticipated intermittent discharge where the upset or failure results from a control problem, an operator error, a system failure or malfunction, an equipment or system startup or shutdown, an equipment wash, or a production schedule change, provided that such upset or failure is not caused by an on-site spill of a hazardous substance.

[44 FR 50776, Aug. 29, 1979, as amended at 44 FR 58910, Oct. 12, 1979]

§117.13 Applicability to discharges from publicly owned treatment works and their users.

(a) [Reserved]

(b) These regulations apply to all discharges of reportable quantities to a POTW, where the discharge originates from a mobile source, except where such source has contracted with, or otherwise received written permission from the owners or operators of the POTW to discharge that quantity, and the mobile source can show that prior to accepting the substance from an industrial discharger, the substance had been treated to comply with any effluent limitation under sections 301, 302 or

306 or pretreatment standard under section 307 applicable to that facility.

§117.14 Demonstration projects.

Notwithstanding any other provision of this part, the Administrator of the Environmental Protection Agency may, on a case-by-case basis, allow the discharge of designated hazardous substances in connection with research or demonstration projects relating to the prevention, control, or abatement of hazardous substance pollution. The Administrator will allow such a discharge only where he determines that the expected environmental benefit from such a discharge will outweigh the potential hazard associated with the discharge.

Subpart C—Notice of Discharge of a Reportable Quantity

§117.21 Notice.

Any person in charge of a vessel or an onshore or an offshore facility shall, as soon as he has knowledge of any discharge of a designated hazardous substance from such vessel or facility in quantities equal to or exceeding in any 24-hour period the reportable quantity determined by this part, immediately notify the appropriate agency of the United States Government of such discharge. Notice shall be given in accordance with such procedures as the Secretary of Transportation has set forth in 33 CFR 153.203. This provision applies to all discharges not specifically excluded or reserved by another section of these regulations.

§117.23 Liabilities for removal.

In any case where a substance designated as hazardous in 40 CFR part 116 is discharged from any vessel or onshore or offshore facility in a quantity equal to or exceeding the reportable quantity determined by this part, the owner, operator or person in charge will be liable, pursuant to section 311 (f) and (g) of the Act, to the United States Government for the actual costs incurred in the removal of such substance, subject only to the defenses and monetary limitations enumerated in section 311 (f) and (g) of the Act.

Pt. 121

The Administrator may act to mitigate the damage to the public health or welfare caused by a discharge and the cost of such mitigation shall be considered a cost incurred under section 311(c) for the removal of that substance by the United States Government.

PART 121—STATE CERTIFICATION OF ACTIVITIES REQUIRING A FED-ERAL LICENSE OR PERMIT

Subpart A—General

Sec.

121.1 Definitions.

121.2 Contents of certification.

121.3 Contents of application.

Subpart B—Determination of Effect on Other States

121.11 Copies of documents.

121.12 Supplemental information.

121.13 Review by Regional Administrator and notification.

121.14 Forwarding to affected State.

121.15 Hearings on objection of affected State.

121.16 Waiver.

Subpart C—Certification by the Administrator

121.21 When Administrator certifies.

121.22 Applications.

121.23 Notice and hearing.

121.24 Certification.

121.25 Adoption of new water quality standards.

121.26 Inspection of facility or activity before operation.

121.27 Notification to licensing or permitting agency.

121.28 Termination of suspension.

Subpart D—Consultations

121.30 Review and advice.

AUTHORITY: Sec. 21 (b) and (c), 84 Stat. 91 (33 U.S.C. 1171(b) (1970)); Reorganization Plan No. 3 of 1970.

SOURCE: 36 FR 22487, Nov. 25, 1971, unless otherwise noted. Redesignated at 37 FR 21441, Oct. 11, 1972 and 44 FR 32899, June 7, 1979.

Subpart A—General

§121.1 Definitions.

As used in this part, the following terms shall have the meanings indicated below:

- (a) License or permit means any license or permit granted by an agency of the Federal Government to conduct any activity which may result in any discharge into the navigable waters of the United States.
- (b) Licensing or permitting agency means any agency of the Federal Government to which application is made for a license or permit.

(c) Administrator means the Administrator, Environmental Protection Agency.

(d) Regional Administrator means the Regional designee appointed by the Administrator, Environmental Protection Agency.

(e) Certifying agency means the person or agency designated by the Governor of a State, by statute, or by other governmental act, to certify compliance with applicable water quality standards. If an interstate agency has sole authority to so certify for the area within its jurisdiction, such interstate agency shall be the certifying agency. Where a State agency and an interstate agency have concurrent authority to certify, the State agency shall be the certifying agency. Where water quality standards have been promulgated by the Administrator pursuant to section 10(c)(2) of the Act, or where no State or interstate agency has authority to certify, the Administrator shall be the certifying agency.

(f) Act means the Federal Water Pollution Control Act, 33 U.S.C. 1151 et seq.

(g) Water quality standards means standards established pursuant to section 10(c) of the Act, and State-adopted water quality standards for navigable waters which are not interstate waters.

§ 121.2 Contents of certification.

- (a) A certification made by a certifying agency shall include the following:(1) The name and address of the ap-
- plicant:
- (2) A statement that the certifying agency has either (i) examined the application made by the applicant to the licensing or permitting agency (specifically identifying the number or code affixed to such application) and bases its certification upon an evaluation of the information contained in such application which is relevant to water quality considerations, or (ii) examined